

# PrEP Safe Starting and Stopping Dosing Schedules

## Daily Dosing Schedule: Receptive Anal Sex and Insertive Anal/Vaginal/Neovaginal Sex



Receptive anal



Insertive anal, vaginal and neovaginal

### Starting



Sex 2-24 hours after loading dose



Start by taking a loading dose of 2 tablets between 2 and 24 hours before sex.



Receptive anal



Insertive anal, vaginal and neovaginal

### Continuing



Sex 2-24 hours after loading dose



Continue to take 1 tablet every 24 hours to stay protected.



Receptive anal




Insertive anal, vaginal and neovaginal

### Stopping



Last sexual exposure



When stopping PrEP, you must continue to take 1 tablet every 24 hours until 2 tablets have been taken after the last sexual exposure.

# PrEP Safe Starting and Stopping Dosing Schedules


## Daily Dosing Schedule: Receptive Vaginal/ Neovaginal Sex and Injecting Drug Use



Receptive vaginal and neovaginal



Injecting drug use




Start by taking a loading dose of 2 tablets between 2 and 24 hours before exposure.



Receptive vaginal and neovaginal



Injecting drug use




Continue to take 1 tablet every 24 hours to stay protected.



Receptive vaginal and neovaginal



Injecting drug use



When stopping PrEP, you must continue to take 1 tablet every 24 hours until 7 tablets have been taken after the last exposure.

# PrEP Safe Starting and Stopping Dosing Schedules


## Event-Based Dosing Schedule: Receptive Anal Sex and Insertive Anal/Vaginal/Neovaginal Sex



Receptive anal



Insertive anal, vaginal and neovaginal




Start with a loading dose of 2 tablets between 2 and no more than 24 hours before sex, then take another tablet 24 hours after the loading dose. Take a final dose 24 hours later. This is often referred to as 2 + 1 + 1.



Receptive anal



Insertive anal, vaginal and neovaginal



Suitable for people having sex over a number of days (e.g. holidays). The first loading dose is the same, then take the another tablet 24 hours after the loading dose. Continue EBD PrEP by taking 1 tablet every 24 hours until 2 tablets have been taken after the last sexual exposure.